Definitions. 3745-31-01

[Comment: For dates of non-regulatory government publications, publications of recognized organizations and associations, federal rules, and federal statutory provisions referenced in this rule, see the "Incorporation by Reference" section at the end of this rule.]

- (A) Except as otherwise provided in this rule, the definitions in rules 3745-15-01 and 3745-21-01 of the Administrative Code shall apply to this chapter.
- (B) "Acid rain program" means the program contained within Title IV of the Clean Air Act.
- (C) "Actual emissions" means the actual rate of emissions of a regulated NSR pollutant from an emissions unit, as determined under this paragraph, except that this definition shall not apply for calculating whether a significant emissions increase, as defined in this rule, has occurred, or for establishing a PAL under rule 3745-31-33 of the Administrative Code.
 - (1) Actual emissions as of a particular date shall equal the average rate, in tons per year, at which the emissions unit actually emitted the pollutant during a consecutive twenty-four-month period which precedes the particular date and which is representative of normal emissions unit operation. The director shall allow the use of a different time period upon a determination that it is more representative of normal emissions unit operation. Actual emissions shall be calculated using the emissions unit's actual operating hours, production rates and types of materials processed, stored or combusted during the selected time period.
 - (2) The director may presume that emissions unit-specific allowable emissions for the emissions unit are equivalent to the actual emissions of the emissions unit.
 - (3) For any emissions unit that has not begun normal operations on the particular date, actual emissions shall equal the potential to emit of the emissions unit on that date.
- (D) "Actuals PAL" for a major stationary source means a PAL based on the baseline actual emissions of all emissions units at the source that emit or have the potential to emit the PAL pollutant.
- (E) "Adhesive" means any substance that is used to bond one surface to another surface.
- (F) "Administrative modification" means a change to a permit to install <u>or a PTIO</u> that does not meet the definition of a modification under this rule.

(G) "Affected sources" shall have the meaning given to it in the regulations promulgated under Title IV of the Clean Air Act.

- (H) "Air contaminant" means particulate matter, dust, fumes, gas, mist, radionuclides, smoke, vapor or odorous substances, or any combination thereof.
- (I) "Air contaminant source," for the purpose of this chapter, means each separate operation, or activity that results or may result in the emission of any of the following air contaminants:
 - (1) An air contaminant or precursor of an air contaminant for which a national ambient air quality standard has been adopted under the Clean Air Act.
 - (2) An air contaminant for which the source is regulated under the Clean Air Act.
 - (3) A toxic air contaminant as listed in rule 3745-114-01 of the Administrative Code.
- (J) "Air contaminant source project" means the installation or modification of one or more air contaminant sources (and any structures associated with such installations or modifications), all of which results from a discrete production goal or objective.
- (K) "Allowable emissions" means the emission rate of an air contaminant source calculated using the maximum rated capacity of the air contaminant source (unless the air contaminant source is subject to limits that are federally enforceable or legally and practically enforceable by the state that restrict the operating rate or hours of operation, or both), and the most stringent of the following:
 - (1) The applicable standards as set forth in 40 CFR Parts 60, 61 and 63; or
 - (2) The applicable Ohio state implementation plan emission limitation, including those with a future compliance date; or
 - (3) The emission rate by a permit condition that is federally enforceable or legally and practically enforceable by the state, including those with a future compliance date.
- (L) "Applicable laws" means any applicable provisions of Chapters 3704. and 3745. of the Revised Code; rules, regulations, and orders of the Ohio environmental protection agency, the Clean Air Act; and rules and regulations of the administrator

of the United States environmental protection agency.

(M) "Auto body refinishing facility" means a facility engaged primarily in collision repair and refinishing of automobiles and light duty trucks. Automobile paint-only and customizing facilities, which are engaged in repainting used motor vehicles and light duty trucks, but do not perform collision repair work, are also included in this definition. Mobile auto body painting operations, which employ temporary spray booths meeting the design criteria specified by paragraph (A)(4)(g) of rule 3745-31-03 of the Administrative Code, are also included in this definition.

- (N) "Available information" means, for purposes of identifying control technology options for a major MACT source, information contained in the following information sources as of the date of the MACT determination by the director:
 - (1) A relevant proposed regulation, including all supporting documentation;
 - (2) Background information documents for a draft or proposed regulation;
 - (3) Data and information available from the "Control Technology Center" developed pursuant to Section 113 of the Clean Air Act;
 - (4) Data and information contained in the "Aerometric Informational Retrieval System" including information in the MACT database;
 - (5) Any additional information that can be expeditiously provided by the administrator; and
 - (6) Any additional information provided by the applicant or others, and any additional information considered available by the director.
- (O) "Baseline actual emissions" means the rate of emissions, in tons per year, of a regulated NSR pollutant, as determined under this rule.
 - (1) For any existing electric utility steam generating unit, baseline actual emissions means the average rate, in tons per year, at which the unit actually emitted the pollutant during any consecutive twenty-four-month period selected by the owner or operator within the five-year period immediately preceding when the owner or operator begins actual construction of the NSR project. The director shall allow the use of a different time period upon a determination that it is more representative of normal source operation.

(a) The average rate shall include fugitive emissions to the extent quantifiable, and emissions associated with startups, shutdowns, and malfunctions.

- (b) The average rate shall be adjusted downward to exclude any non-compliant emissions that occurred while the source was operating above any emission limitation that was legally enforceable during the consecutive twenty-four-month period.
- (c) For a regulated NSR pollutant, when a NSR project involves multiple emissions units, only one consecutive twenty-four-month period must be used to determine the baseline actual emissions for the emissions units being changed. A different consecutive twenty-four-month period can be used for each regulated NSR pollutant.
- (d) The average rate shall not be based on any consecutive twenty-four-month period for which there is inadequate information for determining annual emissions, in tons per year, and for adjusting this amount if required by paragraph (O)(1)(b) of this rule.
- (2) For an existing emissions unit (other than an electric utility steam generating unit), baseline actual emissions means the average rate, in tons per year, at which the emissions unit actually emitted the pollutant during any consecutive twenty-four-month period selected by the owner or operator within the ten-year period immediately preceding either the date the owner or operator begins actual construction of the NSR project, or the date a complete permit application is received by the director for a permit required either under this rule or under a plan approved by the administrator, whichever is earlier, except that the ten-year period shall not include any period earlier than November 15, 1990.
 - (a) The average rate shall include fugitive emissions to the extent quantifiable, and emissions associated with startups, shutdowns, and malfunctions.
 - (b) The average rate shall be adjusted downward to exclude any non-compliant emissions that occurred while the source was operating above an emission limitation that was legally enforceable during the consecutive twenty-four-month period.
 - (c) The average rate shall be adjusted downward to exclude any emissions that would have exceeded an emission limitation with which the major

stationary source must currently comply, had such major stationary source been required to comply with such limitations during the consecutive twenty-four-month period. However, if an emission limitation is part of a (MACT) standard that the administrator proposed or promulgated under 40 CFR Part 63, the baseline actual emissions need only be adjusted if the state has taken credit for such emission reductions in an attainment demonstration or maintenance plan consistent with the requirements in rule 3745-31-22 of the Administrative Code.

- (d) For a regulated NSR pollutant, when a NSR project involves multiple emissions units, only one consecutive twenty-four-month period must be used to determine the baseline actual emissions for the emissions units being changed. A different consecutive twenty-four-month period can be used for each regulated NSR pollutant.
- (e) The average rate shall not be based on any consecutive twenty-four-month period for which there is inadequate information for determining annual emissions, in tons per year, and for adjusting this amount if required by paragraphs (O)(2)(b) and (O)(2)(c) of this rule.
- (3) For a new emissions unit, the baseline actual emissions for purposes of determining the emissions increase that will result from the initial construction and operation of such unit shall equal zero if the operation of the new emissions unit has not yet begun, or shall equal the unit's potential to emit if operation of the new emissions unit has begun.
- (4) For a PAL for a major stationary source, the baseline actual emissions shall be calculated for existing electric utility steam generating units in accordance with the procedures contained in paragraph (O)(1) of this rule, for other existing emissions units in accordance with the procedures contained in paragraph (O)(2) of this rule, and for a new emissions unit in accordance with the procedures contained in paragraph (O)(3) of this rule.
- (P) "Baseline area" means any intrastate area (and every part thereof) designated as attainment or unclassifiable under Section 107(d) of the Clean Air Act in which the major stationary source or major modification establishing the minor source baseline date would construct or would have an air quality impact equal to or greater than one microgram per cubic meter (annual average) of the air pollutant for which the minor source baseline date is established.

Any baseline area established originally for the TSP increments shall remain in effect and shall apply for purposes of determining the amount of available PM10 increments, except that such baseline area shall not remain in effect if the permit

authority rescinds the corresponding minor source baseline date in accordance with paragraph (NNN)(4)(OOO)(4) of this rule.

Area redesignations under Section 107(d) of the Clean Air Act cannot intersect or be smaller than the area of impact of any major stationary source or major modification that:

- (1) Establishes a minor source baseline date; or
- (2) Is subject to 40 CFR 52.21 or under regulations approved pursuant to 40 CFR 51.166, and would be constructed in the same state as the state proposing the redesignation.
- (Q) "Baseline concentration" means that ambient concentration level that exists in the baseline area at the time of the applicable minor source baseline date. A baseline concentration is determined for each pollutant for which a minor source baseline date is established and shall include:
 - (1) The actual emissions, as defined in this rule, representative of sources in existence on the applicable minor source baseline date, except as provided in paragraph (Q)(3) of this rule;
 - (2) The allowable emissions of major stationary sources that commenced construction before the major source baseline date, but were not in operation by the applicable minor source baseline date.
 - (3) The following will not be included in the baseline concentration and will affect the applicable maximum allowable increase(s):
 - (a) Actual emissions, as defined in this rule, from any major stationary source on which construction commenced after the major source baseline date; and
 - (b) Actual emissions increases and decreases, as defined in this rule, at any stationary source occurring after the minor source baseline date.
- (R) "Begin actual construction" means, in general, initiation of physical on-site construction activities on an air contaminant source project that are of a permanent nature. Activities that are considered to be included and excluded from this definition are further identified in rule 3745-31-33 of the Administrative Code.

(S) "Best available control technology" or "BACT" means an emission limitation (including a visible emission standard) based on the maximum degree of reduction for each regulated NSR pollutant which would be emitted from any proposed major stationary source or major modification which the director, on a case-by-case basis, taking into account energy, environmental and economic impacts and other costs, determines is achievable for such major stationary source or major modification through application of production processes or available methods, systems and techniques, including fuel cleaning or treatment or innovative fuel combustion techniques for control of such pollutant. In no event shall application of BACT result in emissions of any pollutant that would exceed the emissions allowed by any applicable standard under 40 CFR Parts 60, 61, and 63. If the director determines that technological or economic limitations on the application of measurement methodology to a particular emissions unit would make the imposition of an emission standard infeasible, a design, equipment, work practice, operational standard, or combination thereof, may be approved by the director instead to satisfy the requirement for the application of BACT. Such standard shall, to the degree possible, set forth the emission reduction achievable by implementation of such design, equipment, work practice or operation and shall provide for compliance by means which achieve equivalent results.

- (T) "Best available technology" or "BAT" means any combination of work practices, raw material specifications, throughput limitations, source design characteristics, an evaluation of the annualized cost per ton of air pollutant removed, and air pollution control devices that have been previously demonstrated to the director of environmental protection to operate satisfactorily in this state or other states with similar air quality on substantially similar air pollution sources.
- (U) "Clean Air Act" means the federal Clean Air Act as amended November 15, 1990; 42 USC 7401 to 7671q.
- (V) "Clean coal technology" means any technology, including technologies applied at the precombustion, combustion, or postcombustion stage, at a new or existing facility that will achieve significant reductions in air emissions of sulfur dioxide or oxides of nitrogen associated with the utilization of coal in the generation of electricity, or process steam, and that is not in widespread use as of November 15, 1990.
- (W) "Clean coal technology demonstration project" means a project using funds appropriated under the heading "Department of Energy-Clean Coal Technology," up to a total amount of two billion five hundred million dollars for commercial demonstration of clean coal technology, or similar projects funded through appropriations for the United States environmental protection agency. The federal contribution for a qualifying clean coal technology demonstration project shall be at least twenty per cent of the total cost of the clean coal technology demonstration

project.

(X) "Cleaning solution" means liquid solvents or solutions used to remove ink and debris from the operating surfaces of the printing press and its parts.

- (Y) "Clean unit" means any emissions unit that has been issued a nonattainment NSR permit or PSD permit that requires compliance with BACT or LAER, that is complying with such BACT or LAER requirements, and qualifies as a clean unit pursuant to paragraph (A) of rule 3745-31-30 of the Administrative Code; or any emissions unit that has been designated by the director as a clean unit, based on the criteria in paragraph (B)(3) of rule 3745-31-30 of the Administrative Code, using a permit-to-install processReserved.
- (Z) "Commence" as applied to construction of a major stationary source or major modification means that the owner or operator has all necessary preconstruction approvals or permits and either has:
 - (1) Begun, or caused to begin, a continuous program of actual on-site construction or the major stationary source or major modification, to be completed within a reasonable time; or
 - (2) Entered into binding agreements or contractual obligations (which cannot be canceled or modified without substantial loss to the owner or operator) to undertake a program of actual construction of the major stationary source or major modification to be completed within a reasonable time.
- (AA) "Commercial bakery" means an establishment that is primarily engaged in manufacturing fresh or frozen bread, bread-type rolls and dry bakery products (e.g. biscuits, crackers, and cookies). This definition does not include establishments that produce bakery products primarily for direct sale on the premises to household consumers.
- (BB) "Complete", in reference to an application for a permit, means that the application contains all the information necessary for processing the application. Designating an application complete for purposes of permit processing does not preclude the director from requesting or accepting any additional information.
- (CC) "Construct a major MACT source" means:
 - (1) Fabricate, erect, or install at any greenfield site a stationary source or group of stationary sources which is located within a contiguous area and under common control and which emits or has the potential to emit ten tons per year

- or more of any HAP or twenty-five tons per year or more of any combination of HAPs, or
- (2) Fabricate, erect, or install, at any developed site a new process or production unit which in and of itself emits or has the potential to emit ten tons per year or more of any HAP or twenty-five tons per year or more of any combination of HAPs, unless the process or production unit satisfies the following criteria:
 - (a) All HAPs emitted by the process or production unit that would otherwise be controlled under the requirements of rule 3745-31-28 of the Administrative Code will be controlled by emission control equipment which was previously installed at the same site as the process or production unit;
 - (b) One of the following determinations has been made:
 - (i) The director has determined within a period of five years prior to the fabrication, erection, or installation of the process or production unit that the existing control equipment represented the BACT, LAER, BAT, or MACT based on air toxics rules for the category of pollutants which includes those HAPs to be emitted by the process or production unit; or
 - (ii) The director determines that the control of HAP emissions provided by the existing equipment will be equivalent to that level of control currently achieved by other well-controlled similar sources (i.e., will be equivalent to the level of control that would be provided by a current BACT, LAER, BAT, or air toxic MACT determination);
 - (c) The director determines that the per cent control efficiency for emissions of HAPs from all sources to be controlled by the existing control equipment will be equivalent to the per cent control efficiency provided by the control equipment prior to the inclusion of the new process or production unit;
 - (d) The director has provided notice and an opportunity for public comment concerning its determination that criteria in paragraphs (CC)(2)(a), (CC)(2)(b), and (CC)(2)(c) of this rule apply and concerning the continued adequacy of any prior LAER, BACT, BAT, or air toxic MACT determination;

(e) If any commenter has asserted that a prior LAER, BACT, BAT, or air toxic MACT determination is no longer adequate, the director has determined that the level of control required by that prior determination remains adequate; and

- (f) Any emission limitations, work practice requirements, or other terms and conditions upon which the above determinations by the permitting authority are predicated, will be construed as applicable requirements under Section 504(a) of the Clean Air Act and either have been incorporated into any existing Title V permit for the affected facility or will be incorporated into such permit upon issuance.
- (DD) "Construction" means any physical change or change in the method of operation (including fabrication, erection, installation, demolition or modification of an emissions unit) that would result in a change in emissions.
- (EE) "Continuous emissions monitoring system" or "CEMS" means all of the equipment that may be required to meet the data acquisition and availability requirements of this chapter, to sample, condition (if applicable), analyze, and provide a record of emissions on a continuous basis.
- (FF) "Continuous emissions rate monitoring system" or "CERMS" means the total equipment required for the determination and recording of the pollutant mass emission rate (in terms of mass per unit of time).
- (GG) "Continuous parameter monitoring system" or "CPMS" means all of the equipment necessary to meet the data acquisition and availability requirements of this chapter, to monitor process and control device operational parameters (for example, control device secondary voltages and electric currents) and other information (for example, gas flow rate, oxygen or carbon dioxide concentrations), and to record average operational parameter value(s) on a continuous basis.
- (HH) "Control technology" means measures, processes, methods, systems, or techniques, to limit the emission of HAPs including, but not limited to, measures that:
 - (1) Reduce the quantity of, or eliminate emissions of, such pollutants through process changes, substitution of materials or other modifications;
 - (2) Enclose systems or processes to eliminate emissions;
 - (3) Collect, capture, or treat such pollutants when released from a process, stack,

storage or fugitive emissions point;

(4) Are design, equipment, work practice, or operational standards (including requirements for operator training or certification) as provided in 42 USC 7412(h); or

- (5) Are a combination of paragraphs (HH)(1) to (HH)(4) of this rule.
- (II) "Criteria pollutant" means particulate matter, nitrogen oxides, VOCs, sulfur dioxide, carbon monoxide, lead or any other air pollutant for which a national ambient air quality standard has been promulgated under Section 109 of the Clean Air Act.
- (JJ) "Digital printing (direct-to-media printing) line" means a printing line where the transfer of electronic files occurs directly from the computer to an electronically driven output device that prints the image directly on the selected media (substrate). Electronic images and four-color process images can be printed virtually any size.
- (KK) "Distillate oil" means a petroleum product designated as number one fuel oil, number two fuel oil (with less than or equal to 0.5 per cent by weight sulfur), diesel fuel or kerosene by the "American Petroleum Institute".
- (LL) "Electric utility steam generating unit" means any steam electric generating unit that is constructed for the purpose of supplying more than one-third of its potential electric output capacity and more than twenty-five megawatt electrical output to any utility power distribution system for sale. Any steam supplied to a steam distribution system for the purpose of providing steam to a steam-electric generator that would produce electrical energy for sale is also considered in determining the electrical energy output capacity of the affected facility.
- (MM) "Emissions unit" means any part of a stationary source that emits or would have the potential to emit any regulated NSR pollutant and includes an electric utility steam generating unit. Air contaminant sources that do not emit or would not have the potential to emit any regulated NSR pollutant but which emit a pollutant regulated under state law are not considered emissions units. There are two types of emissions units:
 - (1) A "new emissions unit" means any emissions unit which is (or will be) newly constructed and which has existed for less than two years from the date such emissions unit first operated.
 - (2) An "existing emissions unit" means any emissions unit that does not meet the requirements in paragraph (MM)(1) of this rule. A replacement unit, as

- defined in this rule, is an existing emissions unit.
- (NN) "Express permit-to-install" or "express PTIO" means a registration status permit-to-install or registration status PTIO that is registered for express processing and issuance pursuant to paragraph (F) of rule 3745-31-05 of the Administrative Code and pursuant to the division (A) of section 3704.037 of the Revised Code.
- (NN)(OO) "Facility" means all of the air contaminant sources that belong to the same industrial grouping, are located on one or more contiguous or adjacent properties, and are under the control of the same person (or persons under common control) except the activities of any vessel and those emissions resulting directly from an internal combustion engine for transportation purposes or from a non-road engine or non-road vehicle as defined in Section 216 of the Clean Air Act. Air contaminant sources shall be considered as part of the same industrial grouping if they belong to the same major group (i.e., they have the same two-digit code) as described in the "Standard Industrial Classification Manual."
- (OO)(PP) "Federal land manager" means, with respect to any lands in the United States, the secretary of the department with authority over such lands.
- (PP)(QQ) "Federally enforceable" means all limitations and conditions that are enforceable by the administrator (of the United States environmental protection agency), including those requirements developed pursuant to 40 CFR Parts 60, 61 and 63, requirements within the Ohio state implementation plan that implements the requirements of the Clean Air Act, any permit requirements designated as federally enforceable established pursuant to 40 CFR 52.21 or under regulations approved pursuant to 40 CFR Part 51, Subpart (1)I, including operating permit requirements designated as federally enforceable issued under an United States environmental protection agency-approved program that is incorporated into the Ohio state implementation plan and expressly requires adherence to any permit issued under such program.
- (QQ)(RR) "Fountain solution additives" means volatile and non-volatile chemicals, alcohols, and other additives, which are blended with water to form the fountain solution used in the lithographic printing process.
- (RR)(SS) "Fugitive emissions" means those emissions that cannot reasonably pass through a stack, chimney, vent or other functionally equivalent opening.
- (SS)(TT) "General permit" means a general permit-to-install or a general PTIO.
- (TT)(UU) "General permit-to-install" or "general PTIO" means a permit-to-install or PTIO issued under rule 3745-31-29 of the Administrative Code.

(UU)(VV) "Greenfield site" means a contiguous area under common control that is an undeveloped site.

- (VV)(WW) "Hazardous air pollutant" or "HAP" means any air pollutant listed in, or pursuant to, Section 112(b) of the Clean Air Act.
- (WW)(XX) "High terrain" means any area having an elevation of nine hundred feet or more above the base of the stack of a stationary source.
- (XX)(YY) "Indian governing body" means the governing body of any tribe, band, or group of Indians subject to the jurisdiction of the United States and recognized by the United States as possessing power of self-government.
- (YY)(ZZ) "Indian reservation" means any federally recognized reservation established by treaty, agreement, executive order, or act of congress.
- (ZZ)(AAA) "Innovative control technology" means any system of air pollution control that has not been adequately demonstrated in practice, but would have a substantial likelihood of achieving greater continuous emission reduction than any control system in current practice or of achieving at least comparable reductions at lower cost in terms of energy, economics or non air quality environmental impacts.
- (AAA)(BBB) "Install" or "installation" means to begin actual construction, erect, locate or affix any air contaminant source.
- (BBB)(CCC) "Job" means the total area or areas to be refinished or repainted on an automobile or light duty truck by an auto body refinishing facility.
- (CCC)(DDD) "Letterpress printing line" means a printing process where the image area is raised relative to the non-image area and the paste ink is transferred to the paper directly from the image surface without the use of an anilox roller.
- (DDD)(EEE) "List of source categories" means the source category list required by Section 112(c) of the Clean Air Act.
- (EEE)(FFF) "Low terrain" means any area other than high terrain.
- (FFF)(GGG) "Lowest achievable emission rate" or "LAER", for any emissions unit, means the more stringent rate of emissions based on the following:

(1) The most stringent emission limitation that is contained in the implementation plan of any state for such class or category of emissions unit, unless the owner or operator of the proposed emissions unit demonstrates that such limitations are not achievable; or

- (2) The most stringent emission limitation that is achieved in practice by such class or category of emissions unit. This limitation, when applied to a major modification, means LAER for the new or modified emissions units within the stationary source. In no event shall the application of this term permit a proposed new or modified emissions unit to emit any air pollutant in excess of the amount allowable under applicable new source standards of performance.
- (GGG)(HHH) "MACT determination" means any combination of emission limitations, work practices, raw material specifications, throughput limitations, source design characteristics, and air pollution control devices that achieve the level of HAP control required by paragraph (E) of rule 3745-31-28 of the Administrative Code.
- (HHH)(III) "Major MACT source" means any process or production unit that in and of itself has the potential to emit ten tons per year or more of any single HAP or twenty-five tons per year or more of any combination of HAPs.

(III)(JJJ) "Major modification" means:

Any physical change in or change in the method of operation of a major stationary source that would result in:

- (1) A significant emissions increase of a regulated NSR pollutant; and
- (2) A significant net emissions increase of that pollutant from the major stationary source.

[Comment: Except as otherwise provided in rules 3745-31-31 and 3745-31-32 of the Administrative Code, and consistent with the definition of major modification, a NSR project is a major modification for a regulated NSR pollutant if it causes two types of emissions increases; a significant emissions increase and a significant net emissions increase. The NSR project is not a major modification if it does not cause a significant emissions increase. If the NSR project causes a significant emissions increase, then the NSR project is a major modification only if it also results in a significant net emissions increase.]

(3) Any significant emissions increase from any emissions units or net emissions increase at a major stationary source that is considered significant for VOCs shall be considered significant for ozone.

- (4) The procedure for calculating (before beginning actual construction) whether a significant emissions increase (i.e., the first step of the process) will occur depends upon the type of emissions units being modified, according to paragraphs (HI)(4)(a)(JJJ)(4)(a) to (HI)(4)(d)(JJJ)(4)(c) of this rule. The procedure for calculating (before beginning actual construction) whether a significant net emissions increase will occur at the major stationary source (i.e., the second step of the process) is contained in paragraph (SSS)(TTT) of this rule. Regardless of any such preconstruction projections, a major modification results if the NSR project causes a significant emissions increase and a significant net emissions increase.
 - (a) Actual-to-projected-actual applicability test for NSR projects that only involve existing emissions units.

A significant emissions increase of a regulated NSR pollutant is projected to occur if the sum of the difference between the projected actual emissions and the baseline actual emissions, for each existing emissions unit, equals or exceeds the significant amount for that pollutant.

(b) Actual-to-potential test for NSR projects that only involve construction of a new emissions unit(s).

A significant emissions increase of a regulated NSR pollutant is projected to occur if the sum of the difference between the potential to emit from each new emissions unit following completion of the NSR project and the baseline actual emissions of these emissions units before the NSR project equals or exceeds the significant amount for that pollutant.

(e) Emission test for NSR projects that involve clean units.

For a NSR project that will be constructed and operated at a clean unit without causing the emissions unit to lose its clean unit designation, no emissions increase is deemed to occur.

(d)(c) Hybrid test for NSR projects that involve multiple types of emissions units.

A significant emissions increase of a regulated NSR pollutant is projected to occur if the sum of the emissions increases for each emissions using the method specified in unit, paragraphs $\frac{(HI)(4)(a)}{(JJJ)(4)(a)}$ to $\frac{(HI)(4)(e)}{(JJJ)(4)(b)}$ of this rule as applicable with respect to each emissions unit, for each type of emissions unit equals or exceeds the significant amount for that pollutant. For example, if a NSR project involves both an existing emissions unit and a clean unit, the projected increase is determined by summing the values determined using the method specified in paragraph (III)(4)(a) of this rule for the existing emissions unit and using the method specified in paragraph (III)(4)(c) of this rule for the clean unit.

- (5) A physical change or change in the method of operation shall not include:
 - (a) Routine maintenance, routine repair, and routine replacement;
 - (b) Use of an alternative fuel or raw material by reason of an order under Section 2(A) and (B) of the Energy Supply and Environmental Coordination Act of 1974 (or any superseding legislation) or by reason of a natural gas curtailment plan pursuant to the Federal Power Act;
 - (c) Use of an alternative fuel by reason of an order or rule under Section 125 of the Clean Air Act;
 - (d) Use of an alternative fuel at a steam generating unit to the extent that the fuel is generated from municipal solid waste;
 - (e) Use of an alternative fuel or raw material by a stationary source that:
 - (i) For nonattainment NSR purposes, the stationary source was capable of accommodating before December 21, 1976, unless such change would be prohibited under any federally enforceable permit condition that was established after December 21, 1976, pursuant to 40 CFR 52.21 or under regulations approved pursuant to 40 CFR Part 51, Subpart I or 40 CFR 51.166; or
 - (ii) For PSD purposes, the stationary source was capable of accommodating before January 6, 1975, unless such change would be prohibited under any federally enforceable permit condition that was established after January 6, 1975, pursuant to 40 CFR 52.21 or under regulations approved pursuant to 40 CFR Part 51, Subpart I or 40 CFR 51.166; or

(iii) The stationary source is approved to use under any effective and applicable nonattainment NSR permit or PSD permit;

- (f) An increase in the hours of operation or in the production rate, unless such change is prohibited under any federally enforceable permit condition that was established after:
 - (i) For nonattainment NSR purposes, December 21, 1976 pursuant to 40 CFR 52.21 or under regulations approved pursuant to 40 CFR Part 51, Subpart I or 40 CFR 51.166; or
 - (ii) For PSD purposes, January 6, 1975 pursuant to 40 CFR 52.21 or under regulations approved pursuant to 40 CFR Part 51, Subpart I or 40 CFR 51.166.
- (g) Any change in ownership at a stationary source;
- (h) The addition, replacement or use of a PCP at an existing emissions unit meeting the requirements of this rule. A replacement control technology must provide more effective emission control than that of the replaced control technology to qualify for this exclusion.
- (i)(h) The installation, operation, cessation, or removal of a temporary clean coal technology demonstration project, provided that the temporary clean coal technology demonstration project complies with:
 - (i) The Ohio state implementation plan, and
 - (ii) Other requirements necessary to attain and maintain the national ambient air quality standard during the temporary clean coal technology demonstration project and after it is terminated.
- (j)(i) For PSD purposes only, the installation or operation of a permanent clean coal technology demonstration project that constitutes repowering, provided that the project does not result in an increase in the potential to emit of any regulated pollutant emitted by the unit. This exemption shall apply on a pollutant-by-pollutant basis.
- (k)(j) For PSD purposes only, the reactivation of a very clean coal-fired electric utility steam generating unit.

(6) This definition shall not apply with respect to a particular regulated NSR pollutant when the major stationary source is complying with the requirements under rule 3745-31-32 of the Administrative Code for a PAL for that pollutant. Instead, the definition under paragraph (GGGG)(HHHH) of this rule shall apply.

(JJJ)(KKK) "Major source baseline date" means:

- (1) In the case of a particulate matter and sulfur dioxide, January 6, 1975, and
- (2) In the case of nitrogen dioxide, February 8, 1988.
- (3) The baseline date is established for each pollutant for which increments or other equivalent measures have been established if:
 - (a) The area in which the proposed source or modification would construct is designated as attainment or unclassifiable under Section 107(d)(1)(D) or (E) of the Clean Air Act for the pollutant on the date of its complete application under 40 CFR 52.21 or the requirements of rules 3745-31-11 to 3745-31-20 of the Administrative Code; and
 - (b) In the case of a major stationary source, the pollutant would be emitted in significant amounts, or in the case of a major modification, there would be a significant net emissions increase of the pollutant.
- (KKK)(LLL) "Major stationary source" means any stationary source or any group of stationary sources that are described in paragraphs (KKK)(1)(LLL)(1) or (KKK)(2)(LLL)(2) of this rule except as restricted under paragraphs (KKK)(3)(LLL)(3) to (KKK)(5)(LLL)(5) of this rule.
 - (1) For stationary sources located in a nonattainment area for a given regulated air pollutant:
 - Any stationary source of air pollutants that emits, or has the potential to emit one hundred tons per year or more of the given regulated NSR pollutant, or
 - (2) For stationary sources located in an attainment area for a given regulated air pollutant:
 - (a) Any of the following stationary sources of air pollutants that emits, or has the potential to emit, one hundred tons per year or more of any

regulated NSR pollutant	:
-------------------------	---

(xviii) Fuel conversion plants;

(i) Fossil fuel-fired steam electric plants of more than two hundred fifty million British thermal units per hour heat input;
(ii) Coal cleaning plants (with thermal dryers);
(iii) Kraft pulp mills;
(iv) Portland cement plants;
(v) Primary zinc smelters;
(vi) Iron and steel mill plants;
(vii) Primary aluminum ore reduction plants;
(viii) Primary copper smelters;
(ix) Municipal incinerators capable of charging more than two hundred fifty tons of refuse per day;
(x) Hydrofluoric, sulfuric or nitric acid plants;
(xi) Petroleum refineries;
(xii) Lime plants;
(xiii) Phosphate rock processing plants;
(xiv) Coke oven batteries;
(xv) Sulfur recovery plants;
(xvi) Carbon black plants (furnace process);
(xvii) Primary lead smelters;

- (xix) Sintering plants;
- (xx) Secondary metal production plants;
- (xxi) Chemical process plants; except for ethanol production facilities that produce ethanol by natural fermentation included in NAICS codes 325193 or 312140;
- (xxii) Fossil fuel boilers (or combinations thereof) totaling more than two hundred fifty million British thermal units per hour heat input;
- (xxiii) Petroleum storage and transfer units with a total storage capacity exceeding three hundred thousand barrels;
- (xxiv) Taconite ore processing plants;
- (xxv) Glass fiber processing plants; and
- (xxvi) Charcoal production plants, or
- (b) Notwithstanding the stationary source size specified in paragraph (KKK)(2)(a)(LLL)(2)(a) of this rule, any stationary source that emits, or has the potential to emit, two hundred fifty tons per year or more of any regulated NSR pollutant.
- (3) A major stationary source that is major for VOCs shall be considered major for ozone.
- (4) The fugitive emissions of a stationary source to the extent quantifiable shall not be included in determining for any of the purposes of this rule whether it is a major stationary source, unless the stationary source belongs to one of the following categories of stationary sources:
 - (a) Coal cleaning plants (with thermal dryers);
 - (b) Kraft pulp mills;
 - (c) Portland cement plants;

(d) Primary zinc smelters;
(e) Iron and steel mills;
(f) Primary aluminum ore reduction plants;
(g) Primary copper smelters;
(h) Municipal incinerators capable of charging more than 250two hundred fifty tons of refuse per day;
(i) Hydrofluoric, sulfuric, or nitric acid plants;
(j) Petroleum refineries;
(k) Lime plants;
(l) Phosphate rock processing plants;
(m) Coke oven batteries;
(n) Sulfur recovery plants;
(o) Carbon black plants (furnace process);
(p) Primary lead smelters;
(q) Fuel conversion plants;
(r) Sintering plants;
(s) Secondary metal production plants;
(t) Chemical process plants; except for ethanol production facilities that produce ethanol by natural fermentation included in NAICS codes 325193 or 312140;

(u) Fossil-fuel boilers (or combination thereof) totaling more than two

hundred fifty million British thermal units per hour heat input;

(v) Petroleum storage and transfer units with a total storage capacity exceeding three hundred thousand barrels;

- (w) Taconite ore processing plants;
- (x) Glass fiber processing plants;
- (y) Charcoal production plants;
- (z) Fossil fuel-fired steam electric plants of more than two hundred fifty million British thermal units per hour heat input;
- (aa) Any other stationary source category which, as of August 7, 1980, is being regulated under Section 111 or 112 of the Clean Air Act.
- (5) Any physical change that would occur at a stationary source not qualifying under paragraph (KKK)(LLL) of this rule as a major stationary source would be considered a major stationary source, if the change would constitute a major stationary source by itself.
- (LLL)(MMM) "Maximum achievable control technology emission limitation for new sources" or "MACT emission limitation for new sources" means the emission limitation which is not less stringent than the emission limitation achieved in practice by the best controlled similar source, and which reflects the maximum degree of reduction in emissions that the director, taking into consideration the cost of achieving such emission reduction, and any non-air quality health and environmental impacts and energy requirements, determines is achievable by the constructed or reconstructed major MACT source.
- (MMM)(NNN) "Maximum uncontrolled emissions" (only used for express permit-to-install or express PTIO processing (registration status)) means the amount of emissions from the air contaminant source in tons per year calculated at the maximum operating capacity of the air contaminant source based upon operating eight thousand seven hundred sixty hours per year in the absence of control equipment.
- (NNN)(OOO) "Minor source baseline date" means the earliest date after the trigger date on which a major stationary source or a major modification subject to 40 CFR 52.21 or the requirements of rules 3745-31-11 to 3745-31-20 of the Administrative Code submits a complete application under the relevant regulations. The trigger

date is:

(1) In the case of a particulate matter and sulfur dioxide, August 7, 1977; and

- (2) In the case of nitrogen dioxide, February 8, 1988.
- (3) The baseline date is established for each pollutant for which increments or other equivalent measures have been established if:
 - (a) The area in which the proposed source or modification would construct is designated as attainment or unclassifiable under Section 107(d)(1)(D) or (E) of the Clean Air Act for the pollutant on the date of its complete application under 40 CFR 52.21 or the requirements of rules 3745-31-11 to 3745-31-20 of the Administrative Code; and
 - (b) In the case of a major stationary source, the pollutant would be emitted in significant amounts, or in the case of a major modification, there would be a significant net emissions increase of the pollutant.
- (4) Any minor source baseline date established originally for the TSP increments shall remain in effect and shall apply for purposes of determining the amount of available PM10 increments, except that the director may rescind any such minor source baseline date where it can be shown, to the satisfaction of the director, that the emissions increase from the major stationary source, or the net emissions increase from the major modification, responsible for triggering that date did not result in a significant amount of PM10 emissions.
- (OOO)(PPP) "Model general permit" means a document that the director has developed that includes a definition of a category of air contaminant source, a description of the qualifications that must be met for that category of source and model terms and conditions that will be used as a general permit for any qualified air contaminant source.

(PPP)(QQQ) "Modify" or "modification" means:

- (1) Any physical change in, or change in the method of operation of:
 - (a) Any air contaminant source that:
 - (i) Results in an increase in the allowable emissions; or

(ii) Results in an increase in emissions of greater than the de minimis levels in rule 3745-15-05 of the Administrative Code of any type of air contaminant not previously emitted; or

- (iii) Results in the relocation of the air contaminant source to a new facility, including, but not limited to, the movement of any existing air contaminant source from another state, county, or other geographic location; or
- (iv) Is otherwise defined as a major modification, or is defined as a modification under applicable regulations promulgated by the administrator of the United States environmental protection agency regarding new source performance standards or national emission standards for hazardous pollutants, or is either a new source or a reconstruction under applicable rules promulgated by the administrator under Section 112 of the Clean Air Act.
- (v) 'Modify' or 'modification' shall not include routine maintenance, routine repair, and routine replacement; use of an alternate fuel or raw material that the source is capable of accommodating and is not expressly prohibited from using under any permit condition or applicable requirement of the Clean Air Act; an increase in the hours of operation or in the production rate that is not expressly prohibited under any permit condition or applicable requirement of the Ohio environmental protection agency or the Clean Air Act.
- (vi) 'Modify' or 'modification' shall not include pollution control or pollution prevention projects that the director has determined, in writing, are environmentally beneficial. Environmentally beneficial projects do not include those that cause or contribute to a violation of a national ambient air quality standard, cause or contribute to a violation of an increment per paragraph (B) of rule 3745-31-11 of the Administrative Code, adversely impact a visibility limitation, or are expressly prohibited under any Ohio environmental protection agency or Clean Air Act permit condition or applicable requirement.
- (vii) 'Modify' or 'modification' shall not include allowable emission increases due to an alternative emission limit that satisfies the criteria set forth in division (E) of section 3704.03 of the Revised Code and is consistent with division (K) of section 3704.036 of the Revised Code.

(b) Any significant air contaminant source project that, for the specific air contaminant or air contaminants for which the air contaminant source project is classified as a significant air contaminant source project, results in an increase in the ambient air quality impact of the air contaminant source project greater than the following levels as determined by atmospheric dispersion modeling or by another method acceptable to the director:

- (i) Carbon monoxide five hundred seventy-five $\mu g/m^3$, eight-hour average;
- (ii) Nitrogen dioxide fourteen $\mu g/m^3$, twenty-four hour average;
- (iii) Total suspended particulate ten μg/m³, twenty-four hour average;
- (iv) Sulfur dioxide fifteen µg/m³, twenty-four hour average;
- (v) Lead $0.1 \mu g/m^3$, twenty-four hour average; or
- (QQQ)(RRR) "Municipal solid waste landfill" or "MSW landfill" means, as defined under paragraph (B)(14) of rule 3745-76-01 of the Administrative Code, an entire disposal facility in a contiguous geographical space where municipal solid waste is placed and regulated in accordance with Chapters 3745-27 and 3745-37 of the Administrative Code and excludes scrap tire monofills. A MSW landfill may also receive other types of RCRAResource Conservation and Recovery Act (RCRA) Subtitle D wastes (rule 3745-50-10 of the Administrative Code) such as commercial solid waste, nonhazardous sludge, and industrial solid waste. Portions of a MSW landfill may be separated by access roads. A MSW landfill may be publicly or privately owned. A MSW landfill may be a new MSW landfill or existing MSW landfill.
- (RRR)(SSS) "Necessary pre-construction approvals or permits" means those permits or approvals required under federal air pollution control laws and regulations and those air pollution control laws and regulations that are part of the federally approved Ohio state implementation plan.
- (SSS)(TTT) "Net emissions increase" means, with respect to any regulated NSR pollutant emitted by a major stationary source, the amount by which the sum of the following, except as limited by paragraph (SSS)(3)(TTT)(3) of this rule, exceeds zero:

(1) Any increase in emissions from a particular physical change or change in the method of operation at a stationary source as calculated under this rule; and

- (2) Any other increases and decreases in actual emissions at the stationary source that are contemporaneous with the particular change and are otherwise creditable. Baseline actual emissions for calculating increases and decreases under paragraph (SSS)(TTT) of this rule shall be determined as provided in paragraph (O) of this rule, except that paragraphs (O)(1)(c) and (O)(2)(d) of this rule shall not apply.
- (3) The following subparagraphs limit paragraphs (SSS)(1)(TTT)(1) and (SSS)(2)(TTT)(2) of this rule:
 - (a) An increase or decrease in actual emissions is contemporaneous with the increase from the particular change only if it occurs between the date five years before construction on the particular change commences and the date that the increase from the particular change occurs;
 - (b) An increase or decrease in actual emissions is creditable only if the director has not relied on it in issuing a permit for the stationary source under regulations approved pursuant to this rule, which permit is in effect when the increase in actual emissions from the particular change occurs;
 - (c) For PSD purposes only, an increase or decrease in actual emissions of sulfur dioxide, nitrogen oxide, or particulate matter that occurs before the applicable minor source baseline date is creditable only if it is required to be considered in calculating the amount of maximum allowable increases remaining available. Only PM10 emissions shall be used to evaluate the net emissions increase for PM10-;
 - (d) The increase or decrease in emissions did not occur at a clean unit, except as provided in paragraphs (A)(8) and (B)(10) of rule 3745-31-30 of the Administrative Code:
 - (e)(d) An increase in actual emissions is creditable only to the extent that the new level of actual emissions exceeds the old level;
 - (f)(e) A decrease in actual emissions is creditable only to the extent that:
 - (i) The old level of actual emissions or the old level of allowable emissions, whichever is lower, exceeds the new level of actual

emissions;

(ii) It is enforceable as a practical matter at and after the time that actual construction on the particular change begins;

- (iii) It has approximately the same qualitative significance for public health and welfare as that attributed to the increase from the particular change;
- (iv) The decrease in actual emissions did not result from the installation of add-on control technology or application of pollution prevention practices that were relied on in designating an emissions unit as a clean unit under rule 3745-31-30 of the Administrative Code. That is, once an emissions unit has been designated as a clean unit, the owner or operator cannot later use the emission reduction from the air pollution control measures that the clean unit designation is based on in calculating the net emissions increase for another emissions unit (i.e., must not use that reduction in a netting analysis' for another emissions unit). However, any new emission reductions that were not relied upon in a PCP excluded pursuant to rule 3745-31-31 of the Administrative Code or for a clean unit designation are creditable to the extent they meet the requirements in paragraph (B)(6)(d) of rule 3745-31-31 of the Administrative Code for the PCP and paragraphs (A)(8) and (B)(10) of rule 3745-31-30 of the Administrative Code for a clean unit:
- (v)(iv) For nonattainment NSR purposes only, the director has not relied on it in issuing any permit under regulations pursuant to 40 CFR Part 51, Subpart I or the director has not relied on it in demonstrating attainment or reasonable further progress.;
- (g)(f) An increase that results from a physical change at a stationary source occurs when the emissions unit on which construction occurred becomes operational and begins to emit a particular air pollutant. Any replacement unit that requires shakedown becomes operational only after a reasonable shakedown period, not to exceed one hundred eighty days; and-
- (h)(g) Paragraph (C)(1) of this rule shall not apply for determining creditable increases and decreases or after a change.

(TTT)(UUU) "New source" means any air contaminant source for which an owner or

operator undertakes a continuing program of installation or modification or enters into a binding contractual obligation to undertake and complete, within a reasonable time, a continuing program of installation or modification, after January 1, 1974, and that at the time of installation or modification, would have otherwise been subject to the provisions of this chapter. The replacement of an entire air contaminant source is considered a new source.

- (UUU)(VVV) "Newsource New source review project" or "NSR project" means a physical change in, or change in the method of operation of, an existing major stationary source.
- (VVV)(WWW) "Nonattainment" or "nonattainment area," for a given pollutant, for purposes of determining applicability of Chapter 3745-31 of the Administrative Code, means that the area has been designated as nonattainment in 40 CFR 81.336.
- (WWW)(XXX) "Nonattainment new source review permit" or "nonattainment NSR permit" means any permit that is issued under a major source preconstruction permit program that has been approved by the administrator and incorporated into a plan to implement the requirements of 40 CFR 51.165, or a program that implements 40 CFR Part 51, Appendix S, Sections I through VI.
- (XXX)(YYY) "Non-heatset" means an offset lithographic printing process where the printing inks dry by oxidation and absorption without the use of heat. For the purposes of this chapter, ultraviolet-cured (UV) and electron beam-cured inks employed in an offset lithographic printing process are considered non-heatset.
- (YYY)(ZZZ) "Non-methane organic compound" or "NMOC" has the same meaning as found in paragraph (B)(16) of rule 3745-76-01 of the Administrative Code.
- (ZZZ)(AAAA) "Non-road engine" means, as defined under 40 CFR 89.2:
 - (1) Except as discussed in paragraph (ZZZ)(2)(AAAA)(2) of this rule, a non-road engine is any internal combustion engine:
 - (a) In or on a piece of equipment that is self-propelled or serves a dual purpose by both propelling itself and performing another function (such as garden tractors, off-highway mobile cranes and bulldozers); or
 - (b) In or on a piece of equipment that is intended to be propelled while performing its function (such as lawnmowers and string trimmers); or
 - (c) That, by itself or in or on a piece of equipment, is portable or

transportable, meaning designed to be and capable of being carried or moved from one location to another. Indicia of transportability include, but are not limited to, wheels, skids, carrying handles, dolly, trailer, or platform.

- (2) An engine is not a non-road engine if:
 - (a) The engine is used to propel a motor vehicle or a vehicle used solely for competition, or is subject to standards promulgated under Section 202 of the Clean Air Act; or
 - (b) The engine is regulated by a federal new source performance standard promulgated under Section 111 of the Clean Air Act; or
 - (c) The engine otherwise included in paragraph (ZZZ)(1)(e)(AAAA)(1)(c) of this rule remains or will remain at a location for more than twelve consecutive months or a shorter period of time for an engine located at a seasonal source. A location is any single site at a building, structure, facility, or installation. Any engine (or engines) that replaces an engine at a location and that is intended to perform the same or similar function as the engine replaced will be included in calculating the consecutive time period. An engine located at a seasonal source is an engine that remains at a seasonal source during the full annual operating period of the seasonal source. A seasonal source is a stationary source that remains in a single location on a permanent basis (i.e., at least two years) and that operates at that single location approximately three months (or more) each year. This paragraph does not apply to an engine after the engine is removed from the location—; or
 - (d) Engines used in aircraft as defined in 40 CFR 87.1(a); or
 - (e) Engines used in underground mining or engines used in underground mining equipment and regulated by the "Mining Safety and Health Administration" (MSHA) in 30 CFR Parts 7, 36, 56, 57, 70, and 75; or
 - (f) Engines subject to the standards of 40 CFR Part 92 (engines exempted from the requirements of 40 CFR Part 92 under 40 CFR 92.907 are subject to the requirements of 40 CFR Part 89); or
 - (g) Engines used in marine vessels as defined in 1 USC 3, if those engines have a rated power at or above thirty-seven kilowatts; or

(h) Engines with a per cylinder displacement of less than fifty cubic centimeters.

- (AAAA)(BBBB) "Ohio state implementation plan" means the plan submitted by the state of Ohio to, and approved by, the United States environmental protection agency in response to Section 110 of the Clean Air Act.
- (BBB)(CCCC) "Organic compounds" or "OC" means any chemical compound containing carbon, excluding carbon monoxide, carbon dioxide, carbonic acid, metallic carbides, metallic carbonates, ammonium carbonate, non landfill gas methane and ethane.
- (CCCC)(DDDD) "PAL allowable emissions" means allowable emissions as defined in this rule, except as this definition is modified under this paragraph.
 - (1) The allowable emissions for any emissions unit shall be calculated considering any emission limitations that are enforceable as a practical matter on the emissions unit's potential to emit.
 - (2) An emissions unit's potential to emit shall be determined using the definition in paragraph (UUUU)(VVVV) of this rule, except that the words or enforceable as a practical matter should be added after federally enforceable.
- (DDDD)(EEEE) "PAL effective date" generally means the date of issuance of the PAL permit. However, the PAL effective date for an increased PAL is the date any emissions unit, which is part of the PAL major modification, becomes operational and begins to emit the PAL pollutant.
- (EEEE)(FFFF) "PAL effective period" means the period beginning with the PAL effective date and ending ten years later.

(FFFF)(GGGG) "PAL major emissions unit" means:

- (1) Any emissions unit that emits or has the potential to emit one hundred tons per year or more of the PAL pollutant in an attainment area; or
- (2) Any emissions unit that emits or has the potential to emit the PAL pollutant in an amount that is equal to or greater than the major source threshold for the PAL pollutant as defined by the Clean Air Act for nonattainment areas. For example, in accordance with the definition of major stationary source in Section 182(c) of the Clean Air Act, an emissions unit would be a PAL major

emissions unit for VOC if the emissions unit is located in a serious ozone nonattainment area and it emits or has the potential to emit fifty or more tons of VOC per year.

- (GGG)(HHHH) "PAL major modification" means, notwithstanding this rule (the definitions for major modification and net emissions increase), any physical change in or change in the method of operation of the PAL source that causes it to emit the PAL pollutant at a level equal to or greater than the PAL.
- (HHHH)(IIII) "PAL permit" means the permit-to-install issued by the director that establishes, incorporates or modifies a PAL for a major stationary source.
- (HH)(JJJJ) "PAL pollutant" means the pollutant for which a PAL is established at a major stationary source.
- (JJJJ)(KKKK) "PAL significant emissions unit" means an emissions unit that emits or has the potential to emit a PAL pollutant in an amount that is equal to or greater than the significant level as defined in this rule or in the Clean Air Act whichever is lower for that PAL pollutant, but less than the amount that would qualify the unit as a PAL major emissions unit as defined in this rule.
- (KKKK)(LLLL) "PAL small emissions unit" means an emissions unit that emits or has the potential to emit the PAL pollutant in an amount less than the significant level for that PAL pollutant, as defined in this rule or in the Clean Air Act, whichever is lower.
- (LLLL)(MMMM) "Particulate matter" shall have the same meaning as found in rule 3745-17-01 of the Administrative Code.
- (MMMM)(NNNN) "Particulate matter emissions" shall have the same meaning as found in rule 3745-17-01 of the Administrative Code.
- (NNNN)(OOOO) "Person" means the federal government or any agency thereof, the state or any agency thereof, any political subdivision, or any agency thereof, or any public or private corporation, individual, partnership, or other entity.
- (OOO)(PPPP) "Plantwide applicability limitation" or "PAL" means an emission limitation expressed in tons per year, for a pollutant at a major stationary source, that is enforceable as a practical matter and established source-wide in accordance with paragraphs (A)(1) to (A)(13) of rule 3745-31-32 of the Administrative Code.
- (PPPP)(OOO) "PM10" means particulate matter with an aerodynamic diameter less

than or equal to a nominal ten micrometers as measured by a reference method based on 40 CFR Part 50, Appendix J and designated in accordance with 40 CFR Part 53 or an equivalent method designated in 40 CFR Part 53.

- (QQQ)(RRRR) "PM10 emissions" means finely divided solid or liquid material, with an aerodynamic diameter less than or equal to a nominal ten micrometers that is or has been emitted to the ambient air as measured by an applicable reference method, or an equivalent or alternative method, specified in 40 CFR Part 51, Appendix M.
- (RRRR)(SSSS) "Pollution control project" or "PCP" means any activity, set of work practices or project (including pollution prevention as defined under this rule) undertaken at an existing emissions unit that reduces emissions of air pollutants from such unit. Such qualifying activities or projects can include the replacement or upgrade of an existing emission control technology with a more effective unit. Other changes that may occur at the source are not considered part of the PCP if they are not necessary to reduce emissions through the PCP. Projects listed under this paragraph are presumed to be environmentally beneficial pursuant to paragraph (B)(2)(a) of rule 3745-31-31 of the Administrative Code. Projects not listed under this paragraph may qualify for a case specific PCP exclusion pursuant to the requirements of paragraphs (B)(2) and (B)(5) of rule 3745-31-31 of the Administrative Code. Reserved.
 - (1) Conventional or advanced flue gas desulfurization or sorbent injection for control of sulfur dioxide.
 - (2) Electrostatic precipitators, baghouses, high efficiency multiclones, or scrubbers for control of particulate matter or other pollutants.
 - (3) Flue gas recirculation, low-NO_x burners or combustors, selective non-catalytic reduction, selective catalytic reduction, low emission combustion (for IC engines), and oxidation/absorption catalyst for control of nitrogen oxides.
 - (4) Regenerative thermal oxidizers, catalytic oxidizers, condensers, thermal incinerators, hydrocarbon combustion flares, biofiltration, absorbers and adsorbers, and floating roofs for storage vessels for control of VOCs or HAPs. For the purpose of this paragraph, hydrocarbon combustion flare means either a flare used to comply with an applicable new source performance standard or MACT standard (including uses of flares during startup, shutdown, or malfunction permitted under such a standard), or a flare that serves to control emissions of waste streams comprised predominately of hydrocarbons and containing no more than two hundred thirty milligrams hydrogen sulfide per dry standard cubic meter.
 - (5) Activities or projects undertaken to accommodate switching (or partially switching) to an inherently less polluting fuel, to be limited to the following

fuel switches:

(a) Switching from a heavier grade of fuel oil to a lighter fuel oil, or any grade of oil to 0.05 per cent sulfur diesel (i.e., from a higher sulfur content number two fuel or from number six fuel, to California 0.05 per cent sulfur number two diesel);

- (b) Switching from coal, oil, or any solid fuel to natural gas, propane, or gasified coal;
- (c) Switching from coal to wood, excluding construction or demolition waste, chemical or pesticide treated wood, and other forms of unclean wood;
- (d) Switching from coal to number two fuel oil (0.5 per cent maximum sulfur content): and
- (e) Switching from high sulfur coal to low sulfur coal (maximum 1.2 per cent sulfur content).
- (6) Activities or projects undertaken to accommodate switching from the use of one ozone depleting substance (ODS) to the use of a substance with a lower or zero ozone depletion potential (ODP), including changes to equipment needed to accommodate the activity or project, that meet the requirements of paragraphs (RRRR)(6)(a) and (RRRR)(6)(b) of this rule.
 - (a) The productive capacity of the equipment is not increased as a result of the activity or project.
 - (b) The projected usage of the new substance is lower, on an ODP-weighted basis, than the baseline usage of the replaced ODS. To make this determination, follow the procedure in paragraphs (RRRR)(6)(b)(i) to (RRRR)(6)(b)(iv) of this rule.
 - (i) Determine the ODP of the substances by consulting 40 CFR Part 82, Subpart A, Appendices A and B.
 - (ii) Calculate the replaced ODP-weighted amount by multiplying the baseline actual usage (using the annualized average of any twenty-four consecutive months of usage within the past ten years) by the ODP of the replaced ODS.
 - (iii) Calculate the projected ODP-weighted amount by multiplying the projected future annual usage of the new substance by its ODP.
 - (iv) If the value calculated in paragraph (RRRR)(6)(b)(ii) of this rule is more than the value calculated in paragraph (RRRR)(6)(b)(iii) of this rule, then the projected use of the new substance is lower, on

an ODP-weighted basis, than the baseline usage of the replaced ODS.

- (SSS)(TTTT) "Pollution prevention" means any activity that through process changes, product reformulation or redesign, or substitution of less polluting raw materials, eliminates or reduces the release of air pollutants (including fugitive emissions) and other pollutants to the environment prior to recycling, treatment, or disposal; it does not mean recycling (other than certain in-process recycling practices), energy recovery, treatment, or disposal.
- (TTTT)(UUUU) "Portable source" means an air contaminant source that, in the director's judgment, is specifically designed to be transferred to a new site as needs warrant.
- (UUUU)(VVV) "Potential to emit" means the maximum capacity of an emissions unit or stationary source to emit an air pollutant under its physical and operational design. Any physical or operational limitation on the capacity of the emissions unit or stationary source to emit an air pollutant, which includes any federally regulated air pollutant as defined in paragraph (DD) of rule 3745-77-01 of the Administrative Code, including air pollution control equipment and restrictions on hours of operation or on the type or amount of material combusted, stored or processed, shall be treated as part of its design if the limitation or the effect it would have on emissions is federally enforceable or legally and practicably enforceable by the state. Secondary emissions do not count in determining the potential to emit of a stationary source. This definition does not alter or affect the use of this term for any other purposes under the Clean Air Act, or the term "capacity factor" as used in Title IV of the Clean Air Act or the regulations promulgated thereunder.
- (VVV)(WWWW) "Predictive emissions monitoring system" or "PEMS" means all of the equipment necessary to monitor process and control device operational parameters (for example, control device secondary voltages and electric currents) and other information (for example, gas flow rate, oxygen or carbon dioxide concentrations), and calculate and record the mass emission rate (for example, pounds per hour) on a continuous basis.
- (WWW)(XXXX) "Prevention of significant deterioration increment" or "PSD increment" means an allowable increment specified in paragraph (B) of rule 3745-31-11 of the Administrative Code.
- (XXXX)(YYYY) "Prevention of significant deterioration permit" or "PSD permit" means any permit that is issued under a major source preconstruction permit program that has been approved by the administrator and incorporated into the plan to implement the requirements of 40 CFR 51.166, or under the program in 40 CFR 52.21.

(YYYY)(ZZZZ) "Process or production unit" means any collection of structures and/or equipment that processes, assembles, applies, or otherwise uses material inputs to produce or store an intermediate or final product. A single facility may contain more than one process or production unit.

[Comment: The definition of a process or production unit can be determined by the intermediate product of a process. For example, at a plant which manufactures fiberglass reinforced plastic boats, the owners wish to add more spray guns to an existing fabrication line to supplement existing spray guns in laminating a particular model of boat hulls. The new spray guns will have a potential to emit greater than ten tons per year of a single HAP. In this example, the fiberglass hull of a boat is an intermediate product in the manufacture of a final product (a boat). The collection of equipment needed to manufacture the intermediate product includes the new spray guns, the existing spray guns, the laminating operation, and other supporting equipment. Because the new spray guns in and of themselves do not produce the intermediate product, they are not in and of themselves a process or production unit, and therefore are not subject to review under rule 3745-31-28 of the Administrative Code. Other examples of the applicability of this definition are found at 61 Fed. Reg. 68391-68392 (December 27, 1996).]

(ZZZZ)(AAAA) "Projected actual emissions" means, the maximum annual rate, in tons per year, at which an existing emissions unit is projected to emit a regulated NSR pollutant in any one of the five years (twelve-month period) following the date the emissions unit resumes regular operation after the NSR project, or in any one of the ten years following that date, if the NSR project involves increasing the emissions unit's design capacity or its potential to emit of that regulated NSR pollutant and full utilization of the emissions unit would result in a significant emissions increase or a significant net emissions increase at the major stationary source.

- (1) In determining the projected actual emissions under this rule before beginning actual construction, the owner or operator of the major stationary source:
 - (a) Shall consider all relevant information, including but not limited to, historical operational data, the company's own representations, the company's expected business activity and the company's highest projections of business activity, the company's filings with the state or federal regulatory authorities, and compliance plans under the approved plan; and
 - (b) Shall include fugitive emissions to the extent quantifiable, and emissions associated with startups, shutdowns, and malfunctions; and
 - (c) Shall exclude, in calculating any increase in emissions that results from

the particular NSR project, that portion of the emissions unit's emissions following the NSR project that an existing emissions unit could have accommodated during the consecutive twenty-four-month period used to establish the baseline actual emissions under paragraph (O) of this rule and that are also unrelated to the particular NSR project, including any increased utilization due to product demand growth; or,

- (d) In lieu of using the method set out in paragraphs (ZZZZ)(1)(a)(AAAAA)(1)(a) to (ZZZZ)(1)(e)(AAAAA)(1)(c) of this rule, may elect to use the emissions unit's potential to emit, in tons per year, as defined under paragraph (UUUU)(VVVV) of this rule.
- (BBBB) "PTIO" or "permit-to-install and operate" means a permit-to-install and/or a permit-to-operate applicable to facilities not subject to Chapter 3745-77 of the Administrative Code.
- (AAAA)(CCCCC) "Reactivation of a very clean coal-fired electric utility steam generating unit" means any physical change or change in the method of operation associated with the commencement of commercial operations by a coal-fired utility unit after a period of discontinued operation where the unit:
 - (1) Has not been in operation for the two-year period prior to the enactment of the Clean Air Act Amendments of 1990, and the emissions from such unit continue to be carried in the permitting authority's emission inventory at the time of enactment;
 - (2) Was equipped prior to shutdown with a continuous system of emission control that achieves a removal efficiency for sulfur dioxide of no less than eighty-five per cent and a removal efficiency for particulates of no less than ninety-eight per cent;
 - (3) Is equipped with low-NO burners prior to the time of commencement of operations following reactivation; and
 - (4) Is otherwise in compliance with the requirements of the Clean Air Act.
- (BBBB)(DDDD) "Reconstruct a major MACT source" means the replacement of components at an existing process or production unit that in and of itself emits or has the potential to emit ten tons per year or more of any HAP or twenty-five tons per year or more of any combination of HAPs, whenever:
 - (1) The fixed capital cost of the new components exceeds fifty per cent of the fixed capital cost that would be required to construct a comparable process or

production unit; and

(2) It is technically and economically feasible for the reconstructed major source to meet the applicable MACT emission limitation for new sources established under rule 3745-31-28 of the Administrative Code.

(CCCC)(EEEE) "Reduced sulfur compounds" or "RSC" means, as defined under 40 CFR Part 60, Subpart J, the sum of the sulfur compounds hydrogen sulfide, carbonyl sulfide and carbon disulfide.

(DDDDD)(FFFFF) "Regulated NSR pollutant" means the following:

- (1) For stationary sources located in a nonattainment area for a given regulated air pollutant:
 - (a) Nitrogen oxides or any VOCs;
 - (b) Any pollutant for which a national ambient air quality standard has been promulgated; or
 - (c) Any pollutant that is a constituent or precursor of a general pollutant listed under paragraphs (DDDD)(1)(a)(FFFF)(1)(a) or (DDDDD)(1)(b)(FFFF)(1)(b) of this rule, provided that a constituent or precursor pollutant may only be regulated under NSR as part of regulation of the general pollutant.
- (2) For stationary sources located in an attainment area for a given regulated air pollutant:
 - (a) Any pollutant for which a national ambient air quality standard has been promulgated and any constituents or precursors for such pollutants identified by the administrator (e.g., VOCs are precursors for ozone);
 - (b) Any pollutant that is subject to any standard promulgated under Section 111 of the Clean Air Act;
 - (c) Any Class I or II substance subject to a standard promulgated under or established by Title VI of the Clean Air Act; or
 - (d) Any pollutant that otherwise is subject to regulation under the Clean Air Act; except that any or all HAPs either listed in Section 112 of the

Clean Air Act or added to the list pursuant to Section 112(b)(2) of the Clean Air Act, which have not been delisted pursuant to Section 112(b)(3) of the Clean Air Act, are not regulated NSR pollutants unless the listed HAP is also regulated as a constituent or precursor of a general pollutant listed under Section 108 of the Clean Air Act.

- (EEEE)(GGGG) "Replacement unit" means an emissions unit for which all the criteria listed under this paragraph are met. No creditable emission reductions shall be generated from shutting down the existing emissions unit that is replaced.
 - (1) The emissions unit is a reconstructed unit within the meaning of 40 CFR 60.15(b)(1), or the emissions unit completely takes the place of an existing emissions unit.
 - (2) The emissions unit is identical to or functionally equivalent to the replaced emissions unit.
 - (3) The replacement does not alter the basic design parameters of the process unit.
 - (4) The replaced emissions unit is permanently removed from the major stationary source, otherwise permanently disabled, or permanently barred from operation by a permit that is enforceable as a practical matter. If the replaced emissions unit is brought back into operation, it shall constitute a new emissions unit.

(FFFFF)(HHHHH) "Repowering" means:

- (1) Replacement of an existing coal-fired boiler with one of the following clean coal technologies: atmospheric or pressurized fluidized bed combustion, integrated gasification combined cycle, magnetohydrodynamics, direct and indirect coal-fired turbines, integrated gasification fuel cells, or as determined by the administrator, in consultation with the secretary of energy, a derivative of one or more of these technologies, and any other technology capable of controlling multiple combustion emissions simultaneously with improved boiler or generation efficiency and with significantly greater waste reduction relative to the performance of technology in widespread commercial use as of November 15, 1990.
- (2) Repowering shall also include any oil and/or gas-fired unit which has been awarded clean coal technology demonstration funding as of January 1, 1991, by the department of energy.

(3) The director shall give expedited consideration to permit applications for any source that satisfies the requirements of this rule and is granted an extension under Section 409 of the Clean Air Act.

- (GGGG)(IIIII) "Research and development activity" means an activity conducted at a research or laboratory facility whose primary purpose is to conduct research and development into new processes and products, where such a source is operated under the close supervision of technically trained personnel and is not engaged in the manufacture of products for sale or exchange for commercial profit, except in a de minimis manner.
- (HHHHH)(JJJJJ) "Screen printing line" means a printing process where the printing ink passes through a web or a fabric to which a refined form of stencil has been applied. The stencil openings determine the form and dimensions of the imprint.
- (HHI)(KKKK) "Secondary emissions" means emissions that occur as a result of the construction or operation of a major stationary source or major modification, but do not come from the major stationary source or major modification itself. For the purpose of this rule, secondary emissions must be specific, well defined, quantifiable, and impact the same general areas as the stationary source or major modification that causes the secondary emissions. Secondary emissions include emissions from any off-site support operation that would not be constructed or increase their emissions except as a result of the construction or operation of the major stationary source or major modification. Secondary emissions do not include any emissions that come directly from a mobile source, such as emissions from the tailpipe of a motor vehicle, from a train or from a vessel.
- (JJJJ)(LLLL) "Significant air contaminant source" or "significant air contaminant source project" means any air contaminant source, or air contaminant source project, that emits:
 - (1) Greater than one hundred tons per year of any of the following air contaminants:
 - (a) Particulate matter; or
 - (b) Sulfur dioxide; or
 - (c) Nitrogen oxides; or
 - (d) OCs; or

- (2) Greater than one thousand tons per year of carbon monoxide; or
- (3) Greater than two tons per year of lead.

(KKKKK)(MMMMM)

(1) "Significant" means, in reference to a net emissions increase or the potential of a stationary source to emit any of the following air pollutants, a rate of emissions that would equal or exceed any of the following rates:

Air Pollutant	Emission Rate (Ton/Yr)
Carbon monoxide	100
Nitrogen oxides	40
Sulfur dioxide	40
TSPParticulate matter	25
Particulate matter less than ten microns	15
Ozone (VOCs)	40
Lead	0.6
Fluorides (excluding hydrogen fluoride)	3
Sulfuric acid mist	7
Hydrogen sulfide	10
TRS	10
RSCs	10
NMOCs from municipal waste landfills	50

- (a) Municipal waste combustor organic (measured as total tetra- through octachlorinated dibenzo-p-dioxins and dibenzofurans): 3.2 grams per year (0.007055 pounds per year).
- (b) Municipal waste combustor metals (measured as particulate matter): fourteen megagrams per year (fifteen tons per year).

(c) Municipal waste combustor acid gases (measured as sulfur dioxide and hydrogen chloride): thirty-six megagrams per year (forty tons per year).

- (2) "Significant", in reference to a net emissions increase or the potential of a stationary source to emit a regulated NSR pollutant that the air pollutant and emission rate table in paragraph (KKKKK)(1)(MMMMM)(1) of this rule does not list, any emission rate.
- (3) Notwithstanding paragraph (KKKKK)(1)(MMMMM)(1) of this rule, "significant" means any emission rate or any net emissions increase associated with a major stationary source or major modification that would be constructed within ten kilometers of a Class I area, and have an impact on such area equal to or greater than one microgram per cubic meter (twenty-four hour average).
- (LLLL)(NNNN) "Significant emissions increase" means, for a regulated NSR pollutant, an increase in emissions that is significant, as defined in this rule, for that pollutant.
- (MMMM)(OOOO) "Similar source" means a stationary source or process that has comparable emissions and is structurally similar in design and capacity to a constructed or reconstructed major MACT source such that the source could be controlled using the same control technology.
- (NNNN)(PPPP) "Soil-liquid extraction remediation activities" means soil remediation activities that use a process for physically separating (extracting) groundwater from soils contaminated with low levels of organic species or other pollutants that are moderately soluble in an aqueous phase using a trench dug around or along side the contaminated soil perpendicular to the groundwater's down gradient flow direction. The contaminated groundwater is collected in the trench and transferred out of the trench for further treatment to separate the soluble contaminants from the water and to destroy the contaminants in an air pollution control system.
- (OOOO)(OOOO) "Soil-vapor extraction remediation activities" means soil remediation activities that use a process for physically separating (extracting) contaminates that are VOCs and semivolatile organic compounds from unsaturated soils by placing a porous tube (or tubes) under vacuum in the contaminated soil, and when a vacuum is drawn on the tube, vapor and some groundwater are drawn into the tube. The vapors collected through the vacuum system are then sent to an air pollution control system to destroy the organic contaminants.

(PPPPP)(RRRR) "Stationary source" means all of the emissions units that belong to the

same industrial grouping, are located on one or more contiguous or adjacent properties, and are under the control of the same person (or persons under common control) except the activities of any vessel and those emissions resulting directly from an internal combustion engine for transportation purposes or from a non-road engine or non-road vehicle as defined in Section 216 of the Clean Air Act. Emissions units shall be considered as part of the same industrial grouping if they belong to the same major group (i.e., that have the same two-digit code) as described in the "Standard Industrial Classification Manual."

- (QQQQ)(SSSS) "Temporary clean coal technology demonstration project" means a clean coal technology demonstration project that is operated for a period of five years or less, and which complies with the state implementation plan for the state in which the clean coal technology demonstration project is located and other requirements necessary to attain and maintain the national ambient air quality standards during the clean coal technology demonstration project and after it is terminated.
- (RRRR)(TTTT) "Temporary source" means any new source of air contaminants or modification of an air contaminant source, that is subject to a written declaration by the operator to the director that the air contaminant source will cease operation, be relocated, or obtain a new permanent permit-to-install within two years of the draft of declaration.
- (SSSS)(UUUUU) "Title I modification" means any modification under Section 111 or 112 of the Clean Air Act and any major modification under Parts C or D of Title I of the Clean Air Act.
- (TTTT)(VVVV) "Total reduced sulfur" or "TRS" means, as defined under paragraph (L) of rule 3745-73-01 of the Administrative Code, the sum of the sulfur compounds hydrogen sulfide, methyl mercaptan, dimethyl sulfide and dimethyl disulfide, that are measured by methods specified in rule 3745-73-04 of the Administrative Code.
- (UUUUU) "Total suspended particulate" or "TSP" shall have the same meaning as found in rule 3745-17-01 of the Administrative Code.
- (VVVV)(WWWW) "µg/m3" or "µg/cm" means microgram per cubic meter.
- (WWWW)(XXXXX) "Volatile organic compounds" or "VOC" shall have the same meaning as defined in rule 3745-21-01 of the Administrative Code.
- (XXXXX)(YYYYY) "Water-based ink/coating/adhesive" means an ink, coating or adhesive with a VOC content less than or equal to ten per cent by weight as

applied.

(YYYYY)(ZZZZZ) "Water-borne" means a material in which the water content of the volatile fraction is at least ninety-five per cent by weight.

- (ZZZZ)(AAAAA) Incorporation by reference. This chapter includes references to certain matter or materials. The text of the incorporated materials is not included in the regulations contained in this chapter. The materials are hereby made a part of the regulations in this chapter. For materials subject to change, only the specific version specified in the regulation are incorporated. Material is incorporated as it exists on the effective date of this rule. Except for subsequent annual publication of existing (unmodified) Code of Federal Regulation compilations, any amendment or revision to a referenced document is not incorporated unless and until this rule has been amended to specify the new dates.
 - (1) Availability. The materials incorporated by reference are available as follows:
 - (a) Aerometric information retrieval system (AIRS). Information can be obtained by writing to: "Air Facility System (OECA), Office of Enforcement and Compliance Assurance, 1200 Pennsylvania Ave. NW, mail code 2222A, Washington, D.C. 20460-0001," by calling 1-800-367-1044, or by visiting their web site at http://www.epa.gov/enviro/html/airs/airs_query.html.
 - (b) California air resources board (CARB) certification. Information and copies of executive orders, approval letters, equipment advisories, and equivalent test procedures may be obtained by writing to: "California Air Resources Board, Monitoring and Laboratory Division, P.O. Box 2815, Sacramento, CA, 95812-2815" or by calling (916) 327-0900. The full text of all CARB certification documents are also available in electronic format at http://www.arb.ca.gov/vapor/vapor.htm.
 - (c) Chemical abstract service (CAS). Information can be obtained by writing to: "Chemical Abstract Service, 2540 Olentangy River Road, Columbus, Ohio, 43202," or by visiting their web site at www.cas.org.
 - (d) Chemical rubber company (CRC) handbook of chemistry and physics. Information and copies may be obtained by writing to "CRC Press LLC, 2000 NW Corporate Blvd., Boca Raton, Florida, 33431", by calling 1-800-272-7737, or at A copy of this book is also available for inspection and copying at most public libraries and "The State Library of Ohio."

(e) Clean Air Act. Information and copies may be obtained by writing to: "Superintendent of Documents, Attn: New Orders, PO Box 371954, Pittsburgh, PA 15250-7954." The full text of the Act as amended in 1990 is also available in electronic format at www.epa.gov/oar/caa/. A copy of the Act is also available for inspection and copying at most public libraries and "The State Library of Ohio."

- (f) Code of Federal Regulations (CFR). Information and copies may be obtained by writing to: "Superintendent of Documents, Attn: New Orders, PO Box 371954, Pittsburgh, PA 15250-7954." The full text of the CFR is also available in electronic format at http://www.gpoaccess.gov/cfr/index.html. The CFR compilations are also available for inspection and copying at most public libraries and "The State Library of Ohio."
- (g) Compilation of air pollutant emission factors, AP-42. Information and copies may be obtained by writing to: "Superintendent of Documents, Attn: New Orders, PO Box 371954, Pittsburgh, PA 15250-7954." The full text of the compilation of air pollutant emission factors, AP-42, is also available in electronic format at http://www.epa.gov/ttn/chief/ap42/index.html. The compilation of air pollutant emission factors, AP-42, are also available for inspection and copying at most public libraries and "The State Library of Ohio."
- (h) Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). Information and copies may be obtained by writing to: "Superintendent of Documents, Attn: New Orders, PO Box 371954, Pittsburgh, PA 15250-7954." The full text of the Act is also available in electronic format at http://www4.law.cornell.edu/uscode/42/ch103.html. A copy of the Act is also available for inspection and copying at most public libraries and "The State Library of Ohio."
- (i) Control technology center. Information can be obtained by writing to: "Research Triangle Institute, Research Triangle Park, NC, 27709," by calling 1-919-541-2734, or by visiting their web site at http://www.epa.gov/etv/centers/center5.html.
- (j) Federal Power Act. Information and copies may be obtained by writing to: "Superintendent of Documents, Attn: New Orders, PO Box 371954, Pittsburgh, PA 15250-7954." The full text of the Act is also available in electronic format at http://www.hemplinglaw.com/cases/fpa.htm. A copy of the Act is also available for inspection and copying at most

- public libraries and "The State Library of Ohio."
- (k) Federal Register. Information and copies may be obtained by writing to: "Superintendent of Documents, Attn: New Orders, PO Box 371954, Pittsburgh, PA 15250-7954." Online access to the Federal Register is available at http://www.gpoaccess.gov/nara/index.html. A copy of the Federal Register is also available for inspection and copying at most public libraries and "The State Library of Ohio."
- (l) Great lakes binational toxics strategy. Information can be obtained by writing to: "U.S. Environmental Protection Agency, Great Lakes National Program Office, 77 W. Jackson Boulevard (G-17J), Chicago, Illinois, 60604-3511," by calling 1-312-353-2117, or by visiting their web site at http://www.epa.gov/grtlakes/bns/.
- (m) Integrated risk management system (IRIS). Information can be obtained by writing to: "IRIS Hotline, c/o EPA Docket Center, Mail Code 28221T, EPA-West Building, 1301 Constitution Avenue NW, Washington, DC 20005," by calling 1-202-566-1676, or by visiting their web site at http://www.epa.gov/iris/index.html.
- (n) North American industry classification system (NAICS). Information and copies may be obtained by contacting the National Technical Information Service at 1-800-553-6847. The codes are also available in electronic format at www.census.gov/epcd/www/naics.html.
- (n)(o) Recommended policy on control of volatile organic compounds. Information and copies of the federal register notice may be obtained by writing to: "Superintendent of Documents, Attention: New Orders, PO Box 371954, Pittsburgh, PA 15250-7954." The federal register notice is also available for inspection and copying at most public libraries and "The State Library of Ohio."
- (o)(p) Resource Conservation and Recovery Act (RCRA). Information and copies may be obtained by writing to: "Superintendent of Documents, Attn: New Orders, PO Box 371954, Pittsburgh, PA 15250-7954." The full text of the Act is also available in electronic format at http://www.epa.gov/epaoswer/osw/laws-reg.htm. A copy of the Act is also available for inspection and copying at most public libraries and "The State Library of Ohio."
- (p)(q) Standard industrial classification manual (SICM). Information and copies may be ordered by writing to: "U.S. Department of Commerce,

Technology Administration, National Technical Information Service, Springfield, Virginia, 22161" or by calling 1-800-553-6847. A copy of the Act is also available for inspection and copying at most public libraries and "The State Library of Ohio."

(q)(r) United States Code (USC). Information and copies may be obtained by writing to: "Superintendent of Documents, Attn: New Orders, PO Box 371954, Pittsburgh, PA 15250-7954." The full text of the United States Code is also available in electronic format at http://www4.law.cornell.edu/uscode/. The U.S.C compilations are also available for inspection and copying at most public libraries and "The State Library of Ohio."

(2) Incorporated materials:

- (a) 1 USC 3; "General Provisions, "Vessel" as including all means of water transportation;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (b) 30 CFR Part 7; "Testing by Applicant or Third Party;" as published in the July 1, 20062007 Code of Federal Regulations.
- (c) 30 CFR Part 36; "Approval Requirements for Permissible Mobile Diesel-Powered Transportation Equipment;" as published in the July 1, 20062007 Code of Federal Regulations.
- (d) 30 CFR Part 56; "Safety and Health Standards--Surface Metal and Nonmetal Mines;" as published in the July 1, 20062007 Code of Federal Regulations.
- (e) 30 CFR Part 57; "Safety and Health Standards--Underground Metal and Nonmetal Mines;" as published in the July 1, 20062007 Code of Federal Regulations.
- (f) 30 CFR Part 70; "Mandatory Health Standards--Underground Coal Mines;" as published in the July 1, 20062007 Code of Federal Regulations.
- (g) 30 CFR Part 75; "Mandatory Safety Standards--Underground Coal Mines;" as published in the July 1, 20062007 Code of Federal Regulations.

(h) 40 CFR 51.165; "Permit requirements;" 51 FR 40669, Nov. 7, 1986, as amended at 52 FR 24713, July 1, 1987; 52 FR 29386, Aug 7, 1987; 54 FR 27285, 27299 June 28, 1989; 57 FR 3946, Feb. 3, 1992; 57 FR 32334, July 21, 1992; 67 FR 80244, Dec. 31, 2002; 68 FR 63027, Nov. 7, 2003; 69 FR 40275, July 1, 2004.

- (i) 40 CFR 51.166; "Requirements for Preparation, Adoption, and Submittal of Implementation Plans, Prevention of significant deterioration of air quality;" as published in the July 1, 20062007 Code of Federal Regulations.
- (j) 40 CFR 52.21; "Approval and Promulgation of Implementation Plans, Prevention of significant deterioration of air quality;" as published in the July 1, 20062007 Code of Federal Regulations.
- (k) 40 CFR 60.15(b)(1); "Standards of Performance for New Stationary Sources Reconstruction;" 40 FR 58420, Dec. 16, 1975.
- (1) 40 CFR 60.111b; "Standards of Performance for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels) for Which Construction, Reconstruction, or Modification Commenced After July 23, 1984 Definitions;" 52 FR 11429, Apr. 8, 1987, as amended at 54 FR 32973, Aug. 11, 1989; 65 FR 61756, Oct. 17, 2000; 68 FR 59333, Oct. 15, 2003.
- (m) 40 CFR 60.671; "Standards of Performance for Nonmetallic Mineral Processing Plants Definitions;" 51 FR 31337, Aug. 1, 1985, as amended at 62 FR 31359, June 9, 1997.
- (n) 40 CFR 81.336; "Designation of Area for Air Quality Planning Purposes-Ohio;" as published in the July 1, 20062007 Code of Federal Regulations.
- (o) 40 CFR 87.1(a); "Control of Air Pollution From Aircraft and Aircraft Engines, Definitions;" 47 FR 58470, Dec. 30, 1982, as amended at 49 FR 31875, Aug. 9, 1984; 62 FR 25365, May 8, 1997.
- (p) 40 CFR 89.2; "Control of Emissions From New and In-Use Nonroad Compression-Ignition Engines, Definitions;" 59 FR 31335, June 17, 1994, as amended at 61 FR 52102, Oct. 4, 1996; 63 FR 18998, Apr. 16, 1998; 63 FR 56996, Oct. 23, 1998; 65 FR 73331, Dec. 29, 1999; 67 FR 68339, Nov. 8, 2002; 69 FR 39212, June 29, 2004.

(q) 40 CFR 92.907; "Control of Air Pollution From Locomotives and Locomotive Engines, Non-locomotive-specific engine exemption;" 63 FR 18998, Apr. 16, 1998; as amended at 70 FR 40457, July 13, 2005.

- (r) 40 CFR Part 50, Appendix J; "Reference Method for the Determination of Particulate Matter as PM10 in the Atmosphere;" 36 FR 22384, Nov. 25, 1971; 52 FR 24664, July 1, 1987; 52 FR 29467, Aug. 7, 1987.
- (s) 40 CFR Part 51; "Requirements for preparation, adoption, and submittal of implementation plans;" as published in the July 1, 2007 Code of Federal Regulations.
- (s)(t) 40 CFR Part 51, Appendix M; "Recommended Test Methods for State Implementation Plans;" 36 FR 22398, Nov. 25, 1971; 55 FR 14249, Apr. 17, 1990; 55 FR 24687, June 18, 1990, as amended at 55 FR 37606, Sept. 12, 1990; 56 FR 6278, Feb. 15, 1991; 56 FR 65435, Dec. 17, 1991; 60 FR 28054, May 30, 1995; 62 FR 32502, June 16, 1997.
- (t)(u) 40 CFR Part 51, Appendix S, Sections I through VI; "Emission Offset Interpretive Ruling;" 36 FR 22398, Nov. 25, 1971; 44 FR 3282, Jan. 16, 1979, as amended at 45 FR 31311, May 13, 1980; 45 FR 52741, Aug. 7, 1980; 45 FR 59879, Sept. 11, 1980; 46 FR 50771, Oct. 14, 1981; 47 FR 27561, June 25, 1982; 49 FR 43210, Oct. 26, 1984; 51 FR 40661, 40675, Nov. 7, 1986; 52 FR 24714, July 1, 1987; 52 FR 29386, Aug 7, 1987; 54 FR 27285, 27299, June 28, 1989; 57 FR 3946, Feb. 3, 1992.
- (u)(v) 40 CFR Part 51, Appendix W; "Guideline on Air Quality Models;" 68 FR 18448, Apr. 15, 2003.
- (v)(w) 40 CFR Part 51, Subpart I; "Requirements for Preparation, Adoption, and Submittal of Implementation Plans, Subpart I -- Review of New Sources and Modifications;" as published in the July 1, 20062007 Code of Federal Regulations.
- (x) 40 CFR Part 52; "Approval and promulgation of implementation plans;" as published in the July 1, 2007 Code of Federal Regulations.
- (w)(y) 40 CFR Part 53; "Ambient Air Monitoring Reference and Equivalent Methods;" as published in the July 1, 20062007 Code of Federal Regulations.
- (x)(z) 40 CFR Part 58, Appendix B; "Quality Assurance Requirements for

Prevention of Significant Deterioration (PSD) Air Monitoring;" 44 FR 27571, May 10, 1979; 44 FR 65070, Nov. 9, 1979; 44 FR 72592, Dec.14, 1979, as amended at 46 FR 44168, Sept. 3, 1981; 48 FR 2530, Jan.20, 1983; 51 FR 9596, Mar. 19, 1986; 52 FR 24741, July 1, 1987; 59 FR 41628, 41629, Aug. 12, 1994; 60 FR 52321, Oct. 6, 1995.

- (y)(aa) 40 CFR Part 60; "Standards of Performance for New Stationary Sources;" as published in the July 1, 20062007 Code of Federal Regulations.
- (z)(bb) 40 CFR Part 60, Appendix A; "Test Methods Standards of Performance for New Stationary Sources;" as published in the July 1, 20062007 Code of Federal Regulations.
- (aa)(cc) 40 CFR Part 60, Appendix B; "Performance Specifications;" 48 FR 13327, Mar. 30, 1983 and 48 FR 23611, May 25, 1983, as amended at 48 FR 32986, July 20, 1983; 51 FR 31701, Aug. 5, 1985; 52 FR 17556, May 11, 1987; 52 FR 30675, Aug. 18, 1987; 52 FR 34650, Sept. 14, 1987; 53 FR 7515, Mar. 9, 1988; 53 FR 41335, Oct. 21, 1988; 55 FR 18876, May 7, 1990; 55 FR 40178, Oct. 2, 1990; 55 FR 47474, Nov. 14, 1990; 56 FR 5526, Feb. 11, 1991; 59 FR 64593, Dec. 15, 1994; 64 FR 53032, Sept. 30, 1999; 65 FR 62130, 62144, Oct. 17, 2000; 65 FR 48920, Aug. 10, 2000; 69 FR 1802, Jan. 12, 2004; 70 FR 28673, May 18, 2005.
- (dd) 40 CFR Part 60, Subpart I; "Standards of Performance for Hot Mix Asphalt Facilities;" 39 FR 9314, Mar. 8, 1974, as amended at 40 FR 46259, Oct. 6, 1975; 42 FR 37936, July 25, 1977; 51 FR 12325, Apr. 10, 1986; 54 FR 6667, Feb. 14, 1989.
- (bb)(ee) 40 CFR Part 60, Subpart J; "Standards of Performance for Petroleum Refineries;" 39 FR 9315, Mar. 8, 1974, as amended at 40 FR 46259, Oct. 6, 1975; 42 FR 32427, June 24, 1977; 42 FR 39389, Aug. 4, 1977; 43 FR 10868, Feb. 15, 1978; 43 FR 10868-10869, Mar. 15, 1978; 44 FR 13481, Mar. 12, 1979; 44 FR 61543, Oct. 25, 1979; 45 FR 79453, Dec. 1, 1980; 48 FR 23611, May 25, 1983; 50 FR 31701, Aug. 5, 1985; 51 FR 42842, Nov. 26, 1986; 52 FR 20392, June 1, 1987; 53 FR 41333, Oct. 21, 1988; 54 FR 34026-340310, Aug. 17, 1989; 55 FR 40175-40176, 40178, Oct. 2, 1990; 56 FR 4176, Feb. 4, 1991; 64 FR 7465-7466, Feb. 12, 1999; 65 FR 61753-61755, Oct. 17, 2000.
- (ce)(ff) 40 CFR, Part 60, Subpart Dc; "Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units;" 55 FR 37683, Sept. 12, 1990, as amended at 61 FR 20736, May 8, 1996; 64

- FR 7465, Feb. 12, 1999; 65 FR 61752, Oct. 17, 2000; 65 FR 61753, Oct. 17, 2000.
- (dd)(gg) 40 CFR Part 60, Subpart AAA; "Standards of Performance for New Residential Wood Heaters;" 53 FR 5873-5874, Feb. 26, 1988, as amended at 53 FR 12009, Apr. 12, 1988; 53 FR 14889, Apr. 26, 1988; 57 FR 5328, Feb. 13, 1992; 60 FR 33925, June 29, 1995; 53 FR 5873, Feb. 26, 1988; 63 FR 64874, Nov. 24, 1998; 64 FR 7466, Feb. 12, 1999; 65 FR 61763-61764, Oct. 17, 2000.
- (ee)(hh) 40 CFR Part 60, Subpart OOO; "Standards of Performance for Nonmetallic Mineral Processing Plants;" 51 FR 31337, Aug. 1, 1985, as amended at 54 FR 6680, Feb. 14, 1989; 62 FR 31359-31360, June 9, 1997; 65 FR 61778, Oct. 17, 2000.
- (ff)(ii) 40 CFR Part 61; "National Emission Standards for Hazardous Air Pollutants;" as published in the July 1, 20062007 Code of Federal Regulations.
- (gg)(jj) 40 CFR Part 61, Subpart M; "National Emission Standard for Asbestos;" 49 FR 13661, Apr. 5, 1984 as amended by 49 FR 25453, June 21, 1984; 51 FR 8199, Mar. 10, 1986; 53 FR 36972, Sept. 23, 1988; 55 FR 48414, 48416, 48419, 48424, 48429-48433, Nov. 20, 1990; 56 FR 1669, Jan. 16, 1991; 55 FR 48424, Nov. 20, 1991; 60 FR 31920, June 19, 1995; 64 FR 7467, Feb. 12, 1999; 68 FR 54793, Sept. 18, 2003; 69 FR 43324, July 20, 2004.
- (hh)(kk) 40 CFR Part 63; "National Emission Standards for Hazardous Air Pollutants for Source Categories;" as published in the July 1, 20062007 Code of Federal Regulations.
- (ii) 40 CFR Part 82, Subpart A, Appendix A; "Class I Controlled Substances;" 60 FR 24986, May 10, 1995; as amended 68 FR 42892, July 18, 2003.
- (jj) 40 CFR Part 82, Subpart A, Appendix B; "Class II Controlled Substances;" 68 FR 2859, Jan. 21, 2003.
- (kk)(11) 40 CFR Part 89; "Control of Emissions From New and In-Use Nonroad Compression-Ignition Engines;" as published in the July 1, 20062007 Code of Federal Regulations.
- (II)(mm) 40 CFR Part 92; "Control of Air Pollution From Locomotives and

- Locomotive Engines;" as published in the July 1, 20062007 Code of Federal Regulations.
- (mm)(nn) 42 USC 7401 to 7671q; "The Public Health and Welfare-Air Pollution Prevention and Control;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code; as amended January 23, 2004, Pub. L. 108-199, sec, 425(a) and sec. 428(b), 118 Stat. 417-418.
- (oo) 42 USC 7410; "State implementation plans for national primary and secondary ambient air quality standards;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (nn)(pp) 42 USC 7412(h); "Hazardous air pollutants, Work practice standards and other requirements;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (00)(qq) "Chemical Rubber Company (CRC) Handbook of Chemistry and Physics," 85th Edition, 2004-2005.
- (pp)(rr) Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) sectionSection 121(e); contained in 42 USC 9621; "Cleanup standards;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (qq)(ss) Federal Power Act; contained in 16 USC 791 to 828c; "Federal Regulation and Development of Power;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (rr)(tt) New source performance standards; contained in 42 USC 7411; "Standards of performance for new stationary sources;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (ss)(uu) Part C of Title I of the Clean Air Act; contained in 42 USC 7470 to 7492; "Prevention of Significant Deterioration of Air Quality;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (tt)(vv) Part D of Title I of the Clean Air Act; contained in 42 USC 7501 to 7515; "Plan Requirements for Nonattainment Areas;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.

(uu)(ww) RCRA Subtitle D; contained in 42 USC 6941 to 6949a; "Resource Conservation and Recovery Act, State or Regional Solid Waste Plans;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.

- (vv)(xx) Recommended policy on control of volatile organic compounds; 42 FR 35314, July 8, 1977.
- (ww)(yy) Section 1.4, "Natural Gas Combustion;" contained in Chapter 1, "External Combustion Sources", Volume I, "Stationary Point and Area Sources" of the "Compilation of Air Pollutant Emission Factors, AP-42;" Fifth Edition, last revised June 2004.
- (xx)(zz) Section 2(A) and (B) of the Energy Supply and Environmental Coordination Act of 1974; contained in 15 USC 792; "Coal conversion and allocation;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (yy)(aaa) Section 107(d) of the Clean Air Act; contained in 42 USC 7407; "Air Quality Control Regions-Designations;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (zz)(bbb) Section 108 of the Clean Air Act; contained in 42 USC 7408; "Air quality criteria and control techniques;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (aaa)(ccc) Section 109 of the Clean Air Act; contained in 42 USC 7409; "National primary and secondary ambient air quality standards;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (bbb)(ddd) Section 110 of the Clean Air Act; contained in 42 USC 7410; "State implementation plans for national primary and secondary ambient air quality standards;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (eee) (eee) Section 111 of the Clean Air Act; contained in 42 USC 7411; "Standards of performance for new stationary sources;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.

(ddd)(fff) Section 112 of the Clean Air Act; contained in 42 USC 7412; "Hazardous Air Pollutants;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.

- (eee)(ggg) Section 112(b) of the Clean Air Act; contained in 42 USC 7412; "Hazardous air pollutants- List of pollutants;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (fff)(hhh) Section 112(c) of the Clean Air Act; contained in 42 USC 7412; "Hazardous air pollutants List of source categories;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (ggg)(iii) Section 112(d) of the Clean Air Act; contained in 42 USC 7412; "Hazardous air pollutants-Emission standards;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (hhh)(jjj) Section 112(h) of the Clean Air Act; contained in 42 USC 7412; "Hazardous air pollutants-Work practice standards and other requirements;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (iii)(kkk) Section 112(j) of the Clean Air Act; contained in 42 USC 7412; "Hazardous air pollutants-Equivalent emission limitation by permit;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (III) Section 112(1) of the Clean Air Act; contained in 42 USC 7412; "Hazardous Air Pollutants;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (jjj)(mmm) Section 113 of the Clean Air Act; contained in 42 USC 7413; "Federal enforcement;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (kkk)(nnn) Section 121(e) of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA); contained in 42 USC 9621; "Cleanup Standards Permits and Enforcement;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (III)(000) Section 125 of the Clean Air Act; contained in 42 USC 7425;

- "Measures to prevent economic disruption or unemployment;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (mmm)(ppp) Section 173 of the Clean Air Act; contained in 42 USC 7503; "Permit requirements;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (nnn)(qqq) Section 182(c) of the Clean Air Act; contained in 42 USC 7511a; "Plan submissions and requirements-Serious Areas;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (000)(rrr) Section 182(f) of the Clean Air Act; contained in 42 USC 7511a; "Plan submissions and requirements-NO requirements;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (ppp)(sss) Section 189 of the Clean Air Act; contained in 42 USC 7513a; "Plan Provisions and Schedules for Plan Submissions;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (qqq)(ttt) Section 202 of the Clean Air Act; contained in 42 USC 7521; "Emission standards for new motor vehicles or new motor vehicle engines;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (rrr)(uuu) Section 216 of the Clean Air Act; contained in 42 USC 7550; "Motor Vehicle Emission and Fuel Standards Definitions;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (sss)(vvv) Section 304 of the Clean Air Act; contained in 42 USC 7604; "Citizen suits;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (ttt)(www) Section 402(12) of Title IV of the Clean Air Act; contained in 42 USC 7651a; "Definitions;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (uuu)(xxx) Section 409 of the Clean Air Act; contained in 42 USC 7651h;

- "Repowered sources;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (yyy) Section 504(a) of the Clean Air Act; contained in 42 USC 7661c; "Permit requirements and conditions;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (vvv)(zzz) Standard industrial classification manual. United States. Office of management and budget. Last amended 1988.
- (www)(aaaa) Title II of the Clean Air Act; contained in 42 USC 7521 to 7590; "Emission Standards for Moving Sources;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code; as amended January 23, 2004, Pub. L. 108-199, sec. 428(b), 118 Stat.
- (xxx)(bbbb) Title IV of the Clean Air Act; contained in 42 USC 7651 to 76510; "Acid Deposition Control;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (yyy)(cccc) Title VI of the Clean Air Act; contained in 42 USC 7671 to 7671q; "Stratospheric Ozone Protection;" published January 19, 2004 in Supplement III of the 2000 Edition of the United States Code.
- (zzz)(dddd) USEPA Method 9; contained in 40 CFR Part 60, Appendix A-4; "Visual Determination of the Opacity of Emissions From Stationary Sources;" as published in the July 1, 2006/2007 Code of Federal Regulations.

Replaces:	3745-35-01
Effective:	
R.C. 119.032 review dates:	12/01/2011
Certification	
 Date	

Promulgated Under: 119.03

Statutory Authority: 3704.03(F), 3704.03(G)

Rule Amplifies: 3704.03(G), 3704.03(F), 3704.03(A)

Prior Effective Dates: 7/5/73, 1/1/74, 11/7/79, 8/15/82, 9/18/87, 11/17/88

(Emer.), 3/9/89(Emer.), 6/12/89, 10/8/93, 6/1/94, 4/12/96, 4/27/98, 9/25/98, 11/30/01, 10/17/03,

10/28/04, 11/03/06, 12/01/06